

92120739
IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RES. CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7.

GENERATOR
TRANSPORTER
FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address Douglas Aircraft Company Attn: R. Tuell M/S C6-59 19503 S. Normandie Avenue, Torrance, CA 90502		C A D 0 8 6 5 1 0 0 0 5 9 2 1 3 5		A. State Manifest Document Number 92120739	
4. Generator's Phone () 310 533-7926 or (310) 533-7231		6. US EPA ID Number		B. State Generator's ID H A H 0 3 6 0 0 5 6 9 8	
5. Transporter 1 Company Name United Pumping Service		C A D 0 7 2 9 5 3 7 7 1		C. State Transporter's ID 306643	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone (818) 961-9326	
9. Designated Facility Name and Site Address Appropriate Technologies II, Inc. 1700 Maxwell Road Chula Vista, CA 92011		10. US EPA ID Number C A T 0 8 0 0 1 0 1 0 1		E. State Transporter's ID	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number) a. Waste Oxidizer, Corrosive Solid, N.O.S. (Potassium Nitrate, Potassium Hydroxide) Oxidizer, NA9194 (D001, D002)		12. Containers No. Type 0140 F 07 d 8 2 P		13. Total Quantity 14. Unit Wt/Vol 15. Waste Number State 181 EPA/Other D001, D002	
b.				State EPA/Other	
c.				State EPA/Other	
d.				State EPA/Other	
J. Additional Descriptions for Materials Listed Above a) 19856. Kolene.		K. Handling Codes for Wastes Listed Above a. b. c. d.			
15. Special Handling Instructions and Additional Information In case of accident contact Chemtrec at 800-424-9300. Weight is approximate. DOT ERG # 42.					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Robert G. Tuell, Jr.		Signature Robert G. Tuell, Jr.		Month Day Year 08/14/92	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Sammy Cisneros		Signature Sammy Cisneros		Month Day Year 08/14/92	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name				Signature Month Day Year	

DO NOT WRITE BELOW THIS LINE.



UNITED PUMPING SERVICE, INC. FIELD WORK ORDER 27788

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746

PHONE: (818) 961-9326

FAX (818) 336-7734

PAGE 1 OF 1

CUSTOMER/ADDRESS	
Douglas Aircraft	
19503 S. Normandie	
Torrance CA 90502	
PHONE NO.	CONTACT: Kirk Wong
LOCATION: BLDG # 45	

DATE WORK PERFORMED:
8-14-92
DATE OF THIS REPORT:
8-14-92
TIME CALL RECEIVED:
CONTRACT NO.:
LOSS REPORT NO./P.O. NO.:

SCOPE OF WORK:
P/C 14 Drums

EQUIPMENT: TYPE	EQUIPMENT NO.	OPERATOR NAME	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
Truck & Van	2102	S. Carson	0545	0655	0830				

PERSONNEL: NAME	TITLE	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
S. Carson	Driver							

DISPOSAL: MANIFEST NO.	DISPOSAL SITE	QTY	UNIT
92120739	Appropriate		

CONSUMABLE: TYPE	QTY	TYPE	QTY
Glove	1		

ADDITIONAL INFORMATION:

SIGNED:

[Signature]

CUSTOMER COPY

BOE-C6-0193315

WEIGHT TICKET

VENDOR: UNITED PUMPING SERVICE

TRUCK #: 21

DATE: 8-14-92

CONTENTS: KOLENE - 55GL DRUMS

DISPOSAL FACILITY: APPROPRIATE TECH. II

DRIVER: SAMMY CISNEROS

GROSS 34350

TARE 32200

NET 2150

DRUM COUNT 14 drums

GALLONS

STATE MANIFEST DOCUMENT NUMBER: 92120739

92120739
IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Douglas Aircraft Company Attn: R. Tuell M/S C6-59 19503 S. Normandie Avenue, Torrance, CA 90502		C A B Q 8 6 5 1 0 0 0 5		9 2 1 3 5		A. State Manifest Document Number 92120739			
4. Generator's Phone (310) 533-7926 or (310) 533-7231		H A H Q 3 6 0 0 5 6 9 8				B. State Generator's ID			
5. Transporter 1 Company Name United Pumping Service		C A D 0 7 2 9 5 3 7 7 1				C. State Transporter's ID			
6. US EPA ID Number						D. Transporter's Phone (818) 961-9326			
7. Transporter 2 Company Name						E. State Transporter's ID			
8. US EPA ID Number						F. Transporter's Phone			
9. Designated Facility Name and Site Address Appropriate Technologies II, Inc. 1700 Maxwell Road Chula Vista, CA 92011		C A T 0 8 0 0 1 0 1 0 1				G. State Facility's ID			
10. US EPA ID Number						H. Facility's Phone (619) 421-1175			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity		14. Unit Wt/Vol		1. Waste Number	
RQ, Waste Oxidizer, Corrosive Solid, N.O.S. (Potassium Nitrate, Potassium Hydroxide) Oxidizer, NA9194 (D001, D002)		No. Type				P		State 181 EPA/Other D001, D002	
c.								State EPA/Other	
d.								State EPA/Other	
J. Additional Descriptions for Materials Listed Above a) 19856. Kolene.		K. Handling Codes for Wastes Listed Above		a.		b.			
15. Special Handling Instructions and Additional Information In case of accident contact Chemtrec at 800-424-9300. Weight is approximate. DOT ERG # 42.									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		Printed/Typed Name Robert G. Tuell, Jr.		Signature Robert G. Tuell, Jr.		Month Day Year 08 14 92			
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Month Day Year			
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Month Day Year			
19. Discrepancy Indication Space									
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		Printed/Typed Name		Signature		Month Day Year			

DO NOT WRITE BELOW THIS LINE.

APPROPRIATE TECHNOLOGIES, INC.

LAND DISPOSAL RESTRICTION NOTIFICATION

INSTRUCTIONS: Complete Part I. Check and complete Part II or Part III. Complete and sign Part IV. You need only return pages 1-3 unless instructed to also return Attachment I and/or II as indicated on page 1. Do not return Attachment 3.

PART I: Generator Profile and Manifest Information

1. Generator Name: Douglas Aircraft Co EPA ID #: CA0086070005
 2. Address: 19803 S. Normandie Ave
 3. City: Torrance State: CA Zip: 90502
 4. Profile Number: 19856 Manifest #: 92120789
 5. EPA Waste Codes (list ALL codes for this stream and all relevant subcategories — see page 2 of this form):
0001 0002

6. This stream is (check one) a ☐ wastewater (<1% total organic carbon and <1% total suspended solids) ☒ nonwastewater.
 Some exceptions exist to this definition, please consult your Greenfield Customer Service Representative for details.

PART II: Wastes Subject to Land Disposal Restrictions (If the waste is non-RCRA, non-hazardous or a "newly listed waste" identified in Part III below, complete Part III rather than Part II.)

Pursuant to 40 CFR 268.7, I am notifying Appropriate Technologies, Inc. that under the above profile number and manifest number, I am shipping to you a waste identified by the EPA waste code(s) and subcategory(ies) listed in Part I above, which is subject to the EPA Land Disposal Restrictions, as checked below.

A. Check line 1, 2, 3 and / or 4 as applicable

- ___ 1. Treatment standards, as I have indicated in Attachment I, which I am enclosing for ___ F001: ___ F002: ___ F003: ___ F004: ___ F005.
 ___ 2. Numerical treatment standard(s) specified in 40 CFR 268.41(a) (Table CCWE), per Attachment III.
☒ 3. Treatment standard(s) expressed as specified technology(ies) in 40 CFR 268.42(a), for which the required technology, per Attachment III, is ___ INCIN: ☒ DEACT: ___ ADGAS fb NEUTR: ___ IMERC: ___ STABL: ___ RTHRM: ___ RMERC: ___ RLEAD: ___ NLDBR.
 ___ 4. Numerical treatment standard(s) specified in 40 CFR 268.43(a) (Table CCW), per Attachment III.

B. Also check one or more of the following lines as applicable.

- ___ 5. A D001-D011 waste which (a) ___ does (b) ___ does not meet the definition of a "California List" waste (see definition below). If (a), I have also checked the "California List" section of Attachment I, which I am enclosing.
 ___ 6. Treatment standard(s) with a "capacity variance" until ___ 199___, per Attachment III, as I have checked on the enclosed Attachment II. The waste (a) ___ does (b) ___ does not meet the definition of a "California List" waste (see definition below). If (a), I have also checked the "California List" section of Attachment I, which I am enclosing.
 ___ 7. A nickel, thallium, or HOC "California List" waste (see definition below). I have checked the "California List" section of Attachment I, which I am enclosing.
 ___ 8. A specific extension or variance (other than a "capacity variance"), as I have checked on Line E or F of Attachment II, which I am enclosing.
 ___ 9. The waste already meets all relevant treatment standards. I have signed the required certification page of Attachment II, which I am enclosing.

PART III: Wastes currently NOT subject to Land Disposal Restrictions

Pursuant to 40 CFR 268.7, I am notifying Appropriate Technologies, Inc. that, under the above profile number and manifest number, I am shipping to you a waste which is non-RCRA, non-hazardous, or identified by the EPA waste code(s) listed in Part I above. The waste is not currently subject to EPA Land Disposal Restrictions because the waste is non-RCRA, non-hazardous, or consists only of one or more of the following EPA waste codes listed since November 8, 1984; D018-43, K064-66, K088, K090-91, K117-18, K123-26, K131-32, K136, U328, U353, U359.

PART IV: Authorized Representative

Signature: x Robert G. Tuell, Jr. Date: x 08-14-92
 Print or Type Name: x Robert G. Tuell, Jr.
 Title: x Senior Plant Engineer

NOTE: A "California List" waste is (a) a hazardous waste containing Halogenated Organic Compounds (HOC) at a concentration \geq 1000 mg/kg or mg/l, or (b) a liquid hazardous waste (including free liquids) having a pH \leq 2.0 and/or containing any of the following materials at a concentration \geq that specified: PCBs, 50 ppm; or (in mg/l) free cyanides, 1000; As, 500; Cd, 100; Cr, 500; Pb, 500; Hg, 20; Ni, 134; Se, 100; Tl, 130.

TREATMENT SUBCATEGORIES

EPA WASTE CODE	SUBCATEGORIES	COMMENT
D001	Ignitable liquids \geq 10% TOC Ignitable liquids < 10% TOC Ignitable compressed gases Ignitable reactives Oxidizer	Per 261.21 (a)(1) Per 261.21 (a)(1) Per 261.21 (a)(3) Per 261.21 (a)(2) Per 261.21 (a)(4)
D002	Steel corrosives Alkaline Acid	SAE 1020 steel corrosion rate \geq 0.25 inch/year Per 262.22 (a)(1) Per 262.22 (a)(1)
D003	Explosives Water reactives Reactive sulfides Reactive cyanides Other reactives	Per 261.23 (a)(6), (7), (8) Per 261.23 (a)(2), (3), (4) Per 261.23 (a)(5) Per 261.23 (a)(1), (4) Per 261.23 (a)(1)
D006	Cadmium-containing batteries Other	
D008	Lead acid batteries Other	
D009	Low mercury High mercury High mercury, containing organics (not incinerator residues) High mercury, containing inorganics (including incinerator or RMERC residues)	< 260 mg/kg Hg \geq 260 mg/kg Hg \geq 260 mg/kg Hg \geq 260 mg/kg Hg
F001-F005(WW)	Pharmaceutical Non-Pharmaceutical	
K006(NWW)	Anhydrous Hydrated	
K046	Reactive Non-Reactive	
F025	Light ends Spent filters / aids & dessicants	
K061(NWW)	Low Zinc High Zinc	< 15% total zinc \geq 15% total zinc
K069(NWW)	Calcium sulfate Non-calcium sulfate	
K071	Low mercury High mercury	< 16 mg/kg Hg \geq 16 mg/kg Hg
K106	Low mercury High mercury	< 260 mg/kg Hg \geq 260 mg/kg Hg
P065	Low mercury — residues from RMERC Low mercury — residues from incineration Mercury fulminate, High mercury — incinerator or RMERC residues Mercury fulminate, nonwastwaters — not incinerator or RMERC residues	Original P065 < 260 mg/kg Hg Original P065 < 260 mg/kg Hg \geq 260 mg/kg Hg
P092	Low mercury — residues from RMERC Low mercury — residues from incineration Phenyl mercury acetate, high mercury incinerator or RMERC residues Phenyl mercury acetate, nonwastwaters not incinerator or RMERC residues	Original P092 < 260 mg/kg Hg Original P092 < 260 mg/kg Hg \geq 260 mg/kg
U151	High Mercury Low mercury — residues from RMERC Low mercury — residues from incineration	\geq 260 mg/kg Hg Original U151 < 260 mg/kg Hg < 260 mg/kg Hg

NOTE: TOC = total organic carbon: RMERC = mercury retorting: WW = wastewater: NWW = non-wastewater

APPROPRIATE TECHNOLOGIES, INC.
CALIFORNIA LAND DISPOSAL RESTRICTION NOTIFICATION

PART I: Generator Information.

GENERATOR NAME Douglas Aircraft Co
CA0086570000 92120789 1985
EPA ID # MANIFEST # PROFILE #

The waste(s) identified on the above referenced manifest and bearing the California waste number(s) identified below is subject to the Land Disposal Restrictions of CCR, Title 22, Chapter 30.

PART II: Waste Identification.

California waste number(s) 181

Check the appropriate lines. (More than one line may apply.)

- ☒ 1. RCRA regulated waste
- ☐ 2. Non-RCRA metal-containing aqueous waste identified on CCR, Title 22, 67702(b) (1).
- ☐ 3. PCB wastes identified in CCR, Title 22, 67702(b) (2). (Not acceptable at APTEC)
- ☐ 4. Non-RCRA metal-containing solid waste identified in CCR, Title 22, 67702(b) (7).
Prohibition effective date May 8, 1992.
- ☐ 5. Non-RCRA aqueous and liquid waste containing any organic compound identified by EPA Test Methods 8080, 8140, 8150, 8240, and/or 8270. Prohibition effective date May 8, 1992.
(Reference CCR, Title 22, 67702 (b)(10).)
- ☐ 6. Non-RCRA solid waste containing any organic compound identified by EPA Test Methods 8080, 8140, 8150, 8240, and/or 8270. Prohibition effective date May 8, 1992. (Reference CCR, Title 22, 67702 (b)(11).)
- ☐ 7. Other Non-RCRA, California regulated waste, category includes lab packs, California extremely small quantity generators, and household hazardous waste exempted in the Health and Safety Code Section 25179.9.

PART III: Handling Method.

Check the appropriate lines. (More than one line may apply.)

- ☒ 1. The RCRA waste identified above must be handled in accordance with the attached EPA LAND DISPOSAL RESTRICTION NOTIFICATION.
- ☐ 2. The waste identified above must be treated to meet the applicable standards in CCR, Title 22, Division 4, Chapter 30, Article 41.
- ☐ 3. The waste identified above meets the applicable treatment standard.
"I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in CCR Title 22, Division 4, Chapter 30, Article 41. I believe that the information I submitted is true, accurate, and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment."
- ☐ 4. The waste identified above is subject to a variance. The expiration date of the variance is indicated in the WASTE IDENTIFICATION section above.
- ☐ 5. The Non-RCRA waste identified above is not currently restricted from land disposal.

PART IV: Generator Certification.

I hereby certify that all information supplied above and on all associated documents is true, complete and accurate to the best of my knowledge and that no omissions or errors exist.

Signature x Robert G. Tuell, Jr. Date: 08-14-92
Print or Type Name: x Robert G. Tuell, Jr.
Title: x Senior Plant Engineer

ATTACHMENT I

ADDITIONAL NOTIFICATION FOR F001-F005, AND CALIFORNIA LIST WASTES

For Part II, Line 1 of the LDR Notification (F001-F005)

This waste must be treated to meet the following treatment standards (check the appropriate line):

_____ F001 _____ F002 _____ F003 _____ F004 _____ F005

WASTE CODE	REGULATED HAZARDOUS CONSTITUENT	WASTEWATERS CONCENTRATION (mg/l)	NONWASTEWATERS CONCENTRATION (mg/l)
TABLE CCWE			
F001-F005 spent solvents	Acetone	0.05	0.59
	n-Butyl alcohol	5.0	5.0
	Carbon disulfide	1.05	4.81
	Carbon tetrachloride	0.05	0.96
	Chlorobenzene	0.15	0.05
	Cresols (and cresylic acid)	2.82	0.75
	Cyclohexanone	0.125	0.75
	1,2 - Dichlorobenzene	0.65	0.125
	Ethyl acetate	0.05	0.75
	Ethyl benzene	0.05	0.053
	Ethyl ether	0.05	0.75
	Isobutanol	5.0	5.0
	Methanol	0.25	0.75
	Methylene chloride	0.2	0.96
	Methyl ethyl ketone	0.05	0.76
	Methyl isobutyl ketone	0.05	0.33
	Nitrobenzene	0.66	0.125
	Pyridine	1.12	0.33
	Tetrachloroethylene	0.079	0.05
	Toluene	1.12	0.33
	1,1,1, - Trichloroethane	1.05	0.41
	1,1,2, - Trichloro-		
	1,2,2, - Trifluoroethane	1.05	0.96
	Trichloroethylene	0.062	0.091
	Trichlorofluoromethane	0.05	0.96
	Xylene	0.05	0.15

TABLE CCW			
F001-F005 spent solvents	1,1,2, Trichloroethane	0.030	7.80
	Benzene	0.070	3.70
F001-F005 spent solvents (Pharmaceutical Industry Wastewater Subcategory)	Methylene chloride	0.44	NA

REQUIRED METHOD			
F005	2-Nitropropane	INCIN	INCIN
F005	2-Ethoxyethanol	INCIN	INCIN

For Part II, Line 5, 6, or 7 of the LDR Notification (California List)

This waste must be treated as indicated below if it is (a) a D001, D002, D003, D004, D005, D006, D007, D008, D009, D010, D011, or subject to a "capacity variance" — and meets the definition of a "California List" waste; or (b) a liquid hazardous waste ≥ 50 ppm PCBs, or ≥ 134 mg/l Ni, or ≥ 130 mg/l TI. Check the appropriate line below:

- _____ HOC ≥ 1000 ppm; incinerate
- _____ liquid, PCB ≥ 50 ppm; incinerate (Not acceptable at APTEC)
- _____ liquid, pH ≤ 2 : Neutralize
- _____ liquid, free cyanides ≥ 1000 ppm: *
- _____ liquid, As ≥ 500 mg/l: *
- _____ liquid, Cd ≥ 100 mg/l: *
- _____ liquid, Cr ≥ 500 mg/l: *
- _____ liquid, Pb ≥ 500 mg/l: *
- _____ liquid, Hg ≥ 20 mg/l: *
- _____ liquid, Ni ≥ 134 mg/l: *
- _____ liquid, Se ≥ 100 mg/l: *
- _____ liquid, TI ≥ 130 mg/l: *

* Treat to below California List concentration, or to non-liquid form.

ATTACHMENT II
EXTENSIONS, VARIANCES, EXCEPTIONS

For Part II, Line B-6 of the Notification Form This waste is (check one):

- ☐ A. Soil or debris contaminated with waste specified in 268.34 for which the treatment standard is based on incineration per Attachment III variance valid until June 8, 1991.
- ☐ B. Soil or debris contaminated with wastes specified in 268.35 for which the treatment standard is based on incineration, mercury retorting, vitrification or wet-air oxidation, per Attachment III (variance valid until May 8, 1992).
- ☐ C. A waste specified in 268.35 (a) — per Attachment III ☐ NWW ☐ WW
- ☐ D. A waste specified in 268.35 (c) — per Attachment III — (variance valid until May 8, 1992) ☐ NWW ☐ WW.

NOTE: NWW = Nonwastewater and WW = Wastewater.

For Part II, Line B-8 of the Notification Form. This waste is:

- ☐ E. Subject to a case-by-case extension, pursuant to 40 CFR 268.5, granted by _____ on _____
(attach copy)
- ☐ F. Subject to a treatability variance, pursuant to 40 CFR 268.44, granted by _____ on _____
(attach copy)

For generators or treaters who have checked Part II, Line B-9 of the Notification Form:

Instructions: Check Line 1, 2, or 3 below. If checking Line 1 or 2 below, attach supporting analytical results. If checking Line 2, and if appropriate, also check Line 4. Sign and date below.

1. **For generators** who have determined that their waste meets treatment standards (268.7(a)(2)(ii):

☐ I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

2. **For treatment facilities** which have treated the waste so that it meets the required numerical treatment standards (268.7(b)(5)(i):

☐ I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA section 3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

If the certification in Line 2 above is based in whole or part on the "analytical detection limit alternative" (268.3(c)), check the following certification.

☐ I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater (NWW) organic constituents have been treated by incineration in units operated in accordance with 40 CFR Part 264 Subpart O or Part 265 Subpart O, or by combustion in fuel substitution units operating in accordance with applicable technical requirements, and I have been unable to detect the nonwastewater organic constituents despite having used best good faith efforts to analyze for such constituents. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

3. **For treatment facilities** which have treated the waste with the required treatment technology specified in 268.42 (certification per 268.7(b)(5)(ii):

☐ I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

AUTHORIZED REPRESENTATIVE

Signature _____ Date _____

Print or Type Name _____

Title: _____